


	REVISIONS					
R	EV DESCRIPTION	DATE	APPROVED			



			DRAWN BY: PERRITT APPROVED HEAT TREAT	RED BARN MACHINE
		USED ON MODEL 414-100	FINISH SPEC UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS	ASSEM. CLAMP RETAINER
PART # QTY	DESCRIPTION	CH-47D	.XXX ± .005 FRACTIONS ± 1/32 ANGLES ±.5°	DWG NO. 14550045-5 REV
-56 4	6061 3/16 x 5 x 7 PLATE		UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES	14000040
			.015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	SCALE NTS DATE 3-2-06 SHEET 1 of 2

	REVISIONS						
REV	DESCRIPTION	DATE	APPROVE				

NOT APPROVED FOR PRODUCTION

414-100 CH-47D PART# QTY **DESCRIPTION** 1 41L40 Ø5/8 x 3/4 -1

TOLERANCES ON: .XXX ± .005 FRACTIONS ± 1/32 .XX ‡ .01 ANGLES ±.5°

UNLESS OTHERWISE SPECIFIED BREAK ALL SHARP EDGES
 .015 x 45° PR .015 R
 DIMENSIONAL LIMITS APPLY AFTER PLATING BARN MACH

ASSEM. CLAMP RETAINER

DWG NO. 145G0045-5

SCALE STN2-23-06 SHEET 1 of

REV DESCRIPTION DATE APPROVED
-56
DRAWN BY: PERRITT CHECKED HEAT FROM 1 1 1 44403/16x11/2x4 USED ON MODEL 414-100 CH-47D XX ± 005 CH-47D XX ± 005 XX ± 00